

Zhongshan LCS Compliance Testing Laboratory Ltd.

Add:Y1403, 14th floor, one of the 15 east xinxing avenue, guzhen town, zhongshan city, guangdong province

Tel: (86) 0760-85323817 Fax: (86) 0760-85282906

Report No.: LCSD052022001R

TEST REPORT

Applicant : Xiamen RGBlink Science & Technology CO., Ltd
Address : Room 601A, No.37-3 Banshang community, Building 3, Xinke Plaza, Torch Hi-Tech Industrial Development Zone, Xiamen, China

Report on the submitted samples said to be:

Sample Name : PTZ Camera
Trade Mark : N/A
Style/ Item No. : RGB20X-PTZ-WH, RGB12X, RGB20X, RGB30X, RGB3X, RGB10X, RGBCTL, RGBABS, RGBMIC, RGBBKT, TAO, mini, ASK, X1Gpro, GX4pro, FLEX MINI, X8, Q16pro, D8
Manufacturer : Xiamen RGBlink Science & Technology CO., Ltd
Address : Room 601A, No.37-3 Banshang community, Building 3, Xinke Plaza, Torch Hi-Tech Industrial Development Zone, Xiamen, China
Sample Receiving Date : May 26, 2022
Testing Period : May 26, 2022 ~ June 02, 2022
Results : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls(PBBS), Polybrominated diphenyl ethers(PBDEs) and phthalates such as bis(2-ethylhexyl) phthalate(DEHP), Butyl benzyl phthalate(BBP), Dibutyl phthalate(DBP), and diisobutyl phthalate(DIBP) comply with the limits as set by ROHS Directive (EU)2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of LCS

Terry.Wang

Written By: _____

Tenny.Wang



Approved by: _____
Cat Zhang

The Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

1. LISTS

No.	Part Name	Report No.
1	Silvery plastic shell	LCS211212030AR
2	Black plastic shell	LCS211212060AR
3	Silver metal screw	LCS211212061AR
4	Black plastic shell	LCS211212062AR
5	Red line skin	LCS211212041AR
6	White line skin	LCS211212042AR
7	Black line skin	LCS211212043AR
8	Blue line skin	LCS211212044AR
9	Yellow skin line	LCS211212045AR
10	Gray line skin	LCS211212046AR
11	Silver metal wire	LCS211212069AR
12	Silvery metal(Display)	LCS211212075AR
13	White plastic(Display)	LCS211212052AR
14	White plastic sheet(Display)	LCS211212051AR
15	Transparent plastic(Display)	LCS211212053AR
16	LED(Display)	LCS211212055AR
17	Yellow base band(Display)	LCS211212054AR
18	Black glass(Display)	LCS211212085AR
19	Transparent plastic(Camera)	LCS211212058AR
20	Glass(Camera)	LCS211212070AR
21	Silvery metal(Camera)	LCS211212071AR
22	Black plastic(SD card)	LCS211212059AR
23	Silvery metal(SD card)	LCS211212081AR
24	Silvery metal needle(SD card)	LCS211212082AR

Zhongshan LCS Compliance Testing Laboratory Ltd.

Add:Y1403, 14th floor, one of the 15 east xinxing avenue, guzhen town, zhongshan city,
guangdong province

Tel: (86) 0760-85323817 Fax: (86) 0760-85282906

Report No.: LCSD052022001R

25	Black plastic(HDMI)	LCS211212036AR
26	Silvery metal(HDMI)	LCS211212083AR
27	Silvery metal needle(HDMI)	LCS211212084AR
28	Black plastic case(Capacitance)	LCS211212037AR
29	Silvery metal case(Capacitance)	LCS211212067AR
30	Black plastic(Capacitance)	LCS211212039AR
31	Electriolsis paper(Capacitance)	LCS211212038AR
32	Silvery metal needle(Capacitance)	LCS211212068AR
33	Yellow tape (Transformer)	LCS211212032AR
34	Black ceramics (Transformer)	LCS211212022AR
35	Black plastic (Transformer)	LCS211212033AR
36	Copper coil (Transformer)	LCS211212064AR
37	Silver metal needle (Transformer)	LCS211212065AR
38	White line skin (Transformer)	LCS211212034AR
39	Yellow plastic tape(Inductance)	LCS211212035AR
40	Ceramic(Inductance)	LCS211212023AR
41	Black plastic(Inductance)	LCS211212047AR
42	Copper line(Inductance)	LCS211212066AR
43	Silvery metal needle (Inductance)	LCS211212068AR
44	Triode	LCS211212026AR
45	Diode	LCS211212025AR
46	Chips of resistance	LCS211212028AR
47	Chips of capacitance	LCS211212027AR
48	Chromatic ring resistance	LCS211212024AR
49	Black IC	LCS211212123AR
50	PCB	LCS211212050AR

51	Solder on PCB	LCS211212063AR
----	---------------	----------------

2. TEST DATA SUMMARY

Test items	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Hexavalent Chromium Cr(VI)	PBBs	PBDEs	BBP	DBP	DEHP	DIBP
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
9	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
10	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
11	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
12	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
13	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
14	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
15	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
16	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
17	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
18	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
19	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
20	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
21	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
22	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Zhongshan LCS Compliance Testing Laboratory Ltd.

Add:Y1403, 14th floor, one of the 15 east xinxing avenue, guzhen town, zhongshan city, guangdong province

Tel: (86) 0760-85323817 Fax: (86) 0760-85282906

Report No.: LCSD052022001R

23	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
24	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
25	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
26	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
27	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
28	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
29	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
31	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
32	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
33	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
34	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
35	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
36	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
37	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
38	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
39	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
40	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
41	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
42	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
43	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
44	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
45	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
46	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
47	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
48	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
49	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
51	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Note:

- (1) N.D. = Not detected (<MDL)
- (2) ppm = mg/kg
- (3) N.A. = Not Analyzed
- (4) Negative = the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.

Remark: Lead in electronic components, which are exempted from (RoHS) the requirements.

Disclaimer:

- The integration report is not equivalent to the test report.
- LCS does not shoulder responsibility for the authenticity of all the test data listed in integration report, which are submitted by the applicants.
- The applicants are responsible for all legal obligation caused by the inaccuracy and invalidity of the original report.
- If this disclaimer contradicts any other terms and conditions of LCS, this disclaimer will prevail.
- The above data are from customers.

3. PHOTOGRAPHS OF TEST SAMPLE





Zhongshan LCS Compliance Testing Laboratory Ltd.

Add: Y1403, 14th floor, one of the 15 east xinxing avenue, guzhen town, zhongshan city, guangdong province

Tel: (86) 0760-85323817 Fax: (86) 0760-85282906

Report No.: LCSD052022001R




Zhongshan LCS Compliance Testing Laboratory Ltd.

Add:Y1403, 14th floor, one of the 15 east xinxing avenue, guzhen town, zhongshan city, guangdong province

Tel: (86) 0760-85323817 Fax: (86) 0760-85282906

Report No.: LCSD052022001R



LCS authenticate the photo on original report only
End of Report