

# MSP 203

Upgrade Instruction

Training Dep.

Xiamen RGBlink Science&Technology Co.,Ltd.			
Document Name:	MSP 203 Upgrade Instuction	Document Type:	Upgrade Instruction
Document NO.:	RGB-TP-UG201703003	Version NO.:	V1.0
Making Dep.:	Training Dep.	Effective date:	2017-03-17
Receiving Dep.:	<input type="checkbox"/> R&D <input type="checkbox"/> Market <input type="checkbox"/> Sales <input type="checkbox"/> Shenzhen		

Document Revised/Modify sheet					
Revised Date	Reviser	Version	Page	Revised Contents	Remark
2017.03.17	Tu	V1.0	9	SDI输入兼容LEVEL B	Trail Version

## Upgrade Tool:

1、 USB cable(A convert B),the picture showing as below:



# MSP 203 Upgrade

## MSP 203 Upgrade Instructions:

### Step1: Connect the device to PC

Use the USB cable (A to B) (Figure 1) to connect the computer's USB port to the USB port in the MSP 203, As the photo showss:



Figure1 USBcable  
(A to B)



# MSP 203 Upgrade

**Step2: Turn on the device power supply.**




# MSP 203 Upgrade

Step3: Run the control software

Run the control software  NewMSP



Click “语言” to switch the language.



# MSP 203 Upgrade


Step4:Load the file and upgrade

(1) Click Admin ->Device Update.Load \*.iic.bin file from File Path dialog box.




# MSP 203 Upgrade

(2) Click “Down Load”, the bar start show progress process.



(3) Upgrade OK dialog box will pop out after upgrade success.



(4) Remove USB cable and restart the device.



**RGBlink™**