OONU 7UHD





# **UHD** mobile live box

Intelligent cloud live view and collaboration gadget

RGBlink®



The bond 7UHD is configured with 5G network, wireless network, wired network, extended USB 4G cartridge network, 4 types of network bandwidth overlay aggregation, higher bandwidth network, to meet the demand for 4 K UHD live broadcasting demand weak network environment live broadcasting demand, as well as multi-platform simultaneous broadcasting demand.



5G module built-in antenna



8-channel 16-channel audio



Optional external antenna



Ultra-high speed file transfer



Multi-Camera 4-Channel Frame-synchronised video streams



4K@60 10-bit transmission



2" OLED display



4 Power Inputs
Power & External Battery



Ethernet + WiFi interface



Multiple remote production tools Video Return, Tally Lights, Audio Connections

### **Bundled Cloud Platform**

Support with RGBlink TAO cloud binding
Directly push the stream on the platform, online cloud
guide, multi-platform live broadcasting



#### H.265 codecs

High-performance H.265 encoding, compatible with H.264/AVS, etc., with more detailed images and lower network bandwidth. 50% reduction of storage space and bandwidth under the same definition, the same bandwidth to improve the quality of the picture.



H.264 video encoding

Occupied Storage 100%

Bandwidth consumption 100%



### H.265 video encoding

Occupied Storage 50%

Bandwidth consumption 50%

### Interface









# application scenario



# **Streamlined Cloud Production**



## Specification

Interface	Lanut	HDMI 2.0	1×HDMI-A PRELIMINARY
interrace	Input	USB	1×USB-C
	Audio	Line-in	1×3.5mm Audio Jack
	Network/Upgrade/Stream	LAN	1×RJ45
	Antenna	5G Antenna	5×Antenna Connector
	Storage	USB	1×USB-A
	Power	USB	1×PD USB-C Port
	Fowei	DC	1×DC Jack
			2×NP-F Battery
	HDMI 2.0 Input	Battery Input Resolution	720p@50   1920×1080i@50/60   1920×1080p@24/30/50/60   3840×2160@30/50/60
Performance	HDWI 2.0 INPUL	·	
		Format	RGB/YUV 4:4:4/YUV 4:2:2 8bits/10bits/12bits  YES
		Deinterlacing	
		Embedded Audio	YES
	1100 0/10/01	HDCP	2.3/1.4
	USB-C/UVC Input	Input Resolution	720p@50   1920×1080i@50/60   1920×1080p@24/30/50/60   3840×2160@30
	Audio Input	Audio Mixing	YES
		Analog Audio Input	LINE IN
	Record	Video	H.264, up to 32Mbps
		Audio	AAC, up to 48Kbps
	Storage	Built-in Storage	128GB
	Codec	Performance	H.264/H.265/AVS
		Protocols	HTTP/SRT/HLS/RTMP/RTSP/NDI
		Resolution	up to 3840×2160p@60
	Network	Wired Network	1×RJ45 Gigabit port
		Mobile Network	SIM card installtion
		Wireless Network	Wi-Fi 5 AP mode/STA mode
		Tethering	Android Smartphone
		5G Dongle	USB 5G Dongle connectivity
Power	UVC Input	12V/2A	
	DC Input	12V/2A	
	Compatible Battery	2×NP-F Battery	
Working	Temperature	0℃~55℃	
	Humidity	5%~85%	0.42kg
Environment Physical	Weight	Net Weight	100mm × 60mm × 22mm
	Dimension	Net Dimension	

### **Order Codes**

 Order Codes
 Item

 410-5513-06-0
 bond 7UHD

### **Dimensions**













